AEGIS SAFETY SUPPLY

Private-label safety eyewear · Line sheet

Shown in stock colors. Every model can be built in your colorway with your logo and packaging. MOQ from 300 pieces per style.

Safety Glasses



AF20-33
Square, removable side shields
PC · 145 × 45 mm
Removable side shields · Rx option · Polarized option · Anti-fog · UV400



AF20-33A
Square, removable side shields
PC · 145 × 45 mm
Removable side shields · Rx option · Polarized option · Anti-fog · UV400



AF20-55
Shield lens, side shields
PC · 150 × 54 mm
Polarized option · Anti-fog · UV400



AF20-60
Single-lens shield
PC · 145 × 60 mm
Polarized option · Anti-fog · UV400



AF20-61
Shield, removable side shields
PC · 145 × 55 mm
Removable side shields · Anti-fog · UV400



FAF2601
Foam-lined, headband or temples
PC · 145 × 45 mm
Headband option · Polarized option · Anti-fog · UV400



FAF2602
Sport frame, rubber accents
PC · 150 × 50 mm
Adjustable temples · Rx option · Polarized option · Anti-fog · UV400



AF20-80
Rx-ready, integrated side shields
PC · 145 × 45 mm
Rx option · Polarized option · Anti-fog · UV400



AF20-81
Rx-ready, integrated side shields
PC · 145 × 42 mm
Rx option · Polarized option · Anti-fog · UV400

Over-Glasses



AF20-20
Over-glasses, adjustable temples
PC + TR + Rubber · lens 160 × 61 mm, temple 170–190mm
Fits over glasses · Adjustable temples · Anti-fog · UV400



AF20-21
Visitor spectacle
PC · lens 156 × 55 mm, temple 135mm
Fits over glasses · Anti-fog · UV400



AF20-21A
Visitor spectacle, adjustable temples
PC + TR · lens 156 × 55 mm, temple 130–150mm
Fits over glasses · Adjustable temples · Anti-fog · UV400



AF20-22
Framed spectacle, adjustable temples
PC + TR · lens 146 × 52 mm, temple 110–120mm
Adjustable temples · Anti-fog · UV400



AF20-26
Over-glasses, adjustable temples
PC + TR + Rubber · lens 160 × 53 mm, temple 180–190mm
Fits over glasses · Adjustable temples · Anti-fog · UV400



AF20-65
Over-glasses, vented temples
PC · 145 × 45 mm
Fits over glasses · Anti-fog · UV400

Sealed / Pollen-Proof



AF20-25
Sealed frame, side shields
PC lens, PC or TR frame · 140 × 46 mm
Sealed · Rx option · Polarized option · Anti-fog · UV400



AF20-29
Sealed frame, rubber trim
PC lens, PC or TR + Rubber frame · 150 × 50 mm
Sealed · Rx option · Polarized option · Anti-fog · UV400



AF20-30
Sealed frame, rubber trim
PC lens, PC or TR + Rubber frame · 145 × 51 mm
Sealed · Rx option · Polarized option · Anti-fog · UV400



AF20-62
Sealed frame, side shields
PC · 140 × 50 mm
Rx option · Polarized option · Anti-fog · UV400

Wraparound & Sport



AF20-31
Wraparound, adjustable temples
PC + Rubber · 145 × 45 mm
Adjustable temples · Anti-fog · UV400



AF20-35
Wraparound, removable foam gasket
PC + TR + Sponge + Rubber · 140 × 47 mm
Foam gasket · Anti-fog · UV400



AF20-36
Wraparound, rubber temple tips
PC + Rubber · 140 × 43 mm
Anti-fog · UV400



AF20-38
Frameless wraparound
PC + Rubber · 140 × 48 mm
Anti-fog · UV400



AF20-56
Frameless wraparound
PC + Rubber · 140 × 47 mm
Anti-fog · UV400



AF20-58
Wraparound
PC · 140 × 45 mm
Anti-fog · UV400



AF20-59
Wraparound, rubber temples
PC lens, PC + rubber frame · 145 × 42 mm
Adjustable temples · Anti-fog · UV400



AF20-59A
Wraparound, removable foam gasket
PC · 145 × 45 mm
Foam gasket · Adjustable temples · Anti-fog · UV400



AF20-69
Half-frame, vented temples
PC · 145 × 50 mm
Anti-fog · UV400

Fit-Over



AF20-39
Rectangular, side shields
PC · 153 × 48 mm
Adjustable temples · Rx option · Polarized option · Anti-fog · UV400



AF20-50
Round, side shields
PC · 150 × 48 mm
Adjustable temples · Rx option · Polarized option · Anti-fog · UV400



AF20-51
Rounded square, side shields
PC · 144 × 45 mm
Rx option · Polarized option · Anti-fog · UV400



AF20-52
Square, side shields
PC · 146 × 49 mm
Rx option · Polarized option · Anti-fog · UV400



AF20-53
Square, side shields
PC · 147 × 47 mm
Rx option · Polarized option · Anti-fog · UV400

Goggles



AF20-01
Sealed goggle, adjustable strap
PVC + PC · 176 × 72 mm
Fits over glasses · Anti-fog · UV400



AF20-01V
Goggle with venting valve
PVC + PC · 176 × 80 mm
Fits over glasses · Vented · Anti-fog · UV400